



SCID-5-CT Templates for Various Diagnostic Indications

Diagnostic Indication	Contents of SCID-5-CT Template
Schizophrenia Studies	<p>Overview</p> <p>Lifetime Major Depressive Episode (modified to require that MDE has A.1 depressed mood)</p> <p>Lifetime Manic Episode</p> <p>Psychotic and Associated Symptoms (lifetime)</p> <p>Psychotic Disorders Differential Diagnosis (to rule in Schizophrenia)</p> <p>Alcohol Use Disorder (past 12 months)</p> <p>Substance Use Disorder (past 12 months)</p>
Major Depressive Disorder Studies	<p>Overview</p> <p>Current Major Depressive Episode</p> <p>Past Major Depressive Episode</p> <p>Lifetime Manic Episode</p> <p>Lifetime Hypomanic Episode</p> <p>Delusions and Hallucinations (lifetime)</p> <p>Alcohol Use Disorder (past 12 months)</p> <p>Substance Use Disorder (past 12 months)</p>
Bipolar I Studies	<p>Overview</p> <p>Lifetime Manic Episodes</p> <p>Lifetime Major Depressive Episodes</p> <p>Delusions and Hallucinations (lifetime)</p> <p>Bipolar Differential Diagnosis (to rule in Bipolar I Disorder)</p> <p>Alcohol Use Disorder (past 12 months)</p> <p>Substance Use Disorder (past 12 months)</p>
Adult Attention-Deficit/Hyperactivity Disorder (ADHD) Studies	<p>Overview</p> <p>Current ADHD (past 6 months)</p> <p>Lifetime Manic Episode</p> <p>Lifetime Major Depressive Episode</p> <p>Delusions and Hallucinations (lifetime)</p> <p>Alcohol Use Disorder (past 12 months)</p> <p>Substance Use Disorder (past 12 months)</p>
Posttraumatic Stress Disorder (PTSD) Studies	<p>Overview</p> <p>PTSD</p> <p>Current Major Depressive Episode</p> <p>Past Major Depressive Episode</p> <p>Lifetime Manic Episode</p> <p>Lifetime Hypomanic Episode</p> <p>Delusions and Hallucinations (lifetime)</p> <p>Alcohol Use Disorder (past 12 months)</p> <p>Substance Use Disorder (past 12 months)</p>