

# STRUCTURED CLINICAL INTERVIEW FOR DSM-5<sup>®</sup> DISORDERS

## SCID-5-RV (Research Version)

### Version 1.0.0

Michael B. First, MD; Janet B.W. Williams, PhD;  
Rhonda S. Karg, PhD; and Robert L. Spitzer, MD

Study: \_\_\_\_\_ Study No.: \_\_ \_\_ \_\_ \_\_ P1  
Subject: \_\_\_\_\_ I.D. No.: \_\_ \_\_ \_\_ \_\_ P2  
Rater: \_\_\_\_\_ Rater No.: \_\_ \_\_ \_\_ P3  
Date of Interview: \_\_ \_\_ \_\_ \_\_ P4  
Month. Day Year

Sources of information (check all that apply):  
 Subject/Patient P5  
 Family/friends/associates P6  
 Health professional/chart/referral note P7

Edited and checked by: \_\_\_\_\_ Date: \_\_\_\_\_

---

Copyright © 2015 Michael B. First, M.D., Janet B. W. Williams, Ph.D., and Robert L. Spitzer, M.D.

For citation: First MB, Williams JBW, Karg RS, Spitzer RL: Structured Clinical Interview for DSM-5—  
Research Version (SCID-5 for DSM-5, Research Version; SCID-5-RV, Version 1.0.0). Arlington, VA,  
American Psychiatric Association, 2015

Web page: <http://www.scid5.org> E-mail: [scid5@columbia.edu](mailto:scid5@columbia.edu)

The Structured Clinical Interview for DSM-5<sup>®</sup>, Research Version (SCID-5-RV), includes the User's Guide and score sheets. Use of any component of the SCID-5-RV requires permission or licensing through American Psychiatric Association Publishing before use. Inquiries should be directed to Permissions & Licensing, American Psychiatric Association Publishing, 800 Maine Avenue SW, Suite 900, Washington DC 20024, or online at: <http://www.appi.org/permissions>. For more information, please visit the SCID products page on [www.appi.org/scid5](http://www.appi.org/scid5).

DSM and DSM-5 are registered trademarks of the American Psychiatric Association. Use of these terms is prohibited without permission of the American Psychiatric Association.

DSM-5<sup>®</sup> diagnostic criteria are reprinted or adapted with permission from American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders*, Fifth Edition. Arlington VA, American Psychiatric Association, 2013. Copyright © 2013 American Psychiatric Association. Used with permission.

ALL RIGHTS RESERVED. Unless authorized in writing by the American Psychiatric Association (APA), no part of the DSM-5® criteria may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form, including electronic applications. Correspondence regarding copyright permission for DSM-5 criteria should be directed to Permissions & Licensing, American Psychiatric Association Publishing, 800 Maine Avenue SW, Suite 900, Washington DC 20024, or online at: <http://www.appi.org/permissions>

The Social and Occupational Functioning Assessment Scale (SOFAS) is reprinted with permission from American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition, Text Revision. Washington, DC, American Psychiatric Association, 2000, p. 818. Copyright © 2000 American Psychiatric Association. Used with permission.

The following acknowledgment accompanies the SOFAS:

Note: The rating of overall psychological functioning on a scale of 0–100 was operationalized by Luborsky in the Health-Sickness Rating Scale. (Luborsky L: "Clinicians' Judgments of Mental Health." *Archives of General Psychiatry* 7:407–417, 1962). Spitzer and colleagues developed a revision of the Health-Sickness Rating Scale called the Global Assessment Scale (GAS) (Endicott J, Spitzer RL, Fleiss JL, et al.: "The Global Assessment Scale: A Procedure for Measuring Overall Severity of Psychiatric Disturbance." *Archives of General Psychiatry* 33:766–771, 1976). The SOFAS is derived from the GAS and its development is described in Goldman HH, Skodol AE, Lave TR: "Revising Axis V for DSM-IV: A Review of Measures of Social Functioning." *American Journal of Psychiatry* 149:1148–1156, 1992.

The listing of prodromal/residual symptoms on page C.3 of the SCID-5-RV has been adapted with permission from the DSM-5 text, p. 101, and the list of prodromal/residual symptoms has been adapted with permission from American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders*, Third Edition, Revised. Washington, DC, American Psychiatric Association, 1987, pp. 194–195. Copyright © 1987 American Psychiatric Association. Used with permission.

SCID Code	Diagnosis	Inadequate Info.	Absent	Sub-threshold	Threshold	Absent	Present		
					<b>Lifetime Prevalence</b>		<b>Meets Symptomatic Dx. Crit. Past Month</b>		
<b>BIPOLAR AND RELATED DISORDERS</b>									
01	Bipolar I Disorder (D.1/lifetime) (D.14/past month)	?	1	2	3	1	3	P8 P9	
					<b>Current Only</b>		<b>Meets Symptomatic Dx. Crit. Past 2 Years</b>		
02	Bipolar II Disorder (D.3/lifetime) (D.14/past month)	?	1	2	3	1	3	P11 P12	
					<b>Current Only</b>		<b>Meets Symptomatic Dx. Crit. Past 2 Years</b>		
03	Cyclothymic Disorder (A.29/past 2 years only)	?				1	3	P14	
					<b>Lifetime Prevalence</b>		<b>Meets Symptomatic Dx. Crit. Past Month</b>		
04	Other Specified Bipolar Disorder (D.7/lifetime)(D.8/past month)	?	1	2	3	1	3	P15 P16	
05	Bipolar Disorder Due to Another Medical Condition (A.43/lifetime)(A.43/past month) Specify AMC: _____	?	1		3	1	3	P17 P18	
06	Substance/Medication-Induced Bipolar Disorder (A.45/lifetime) (A.45/past month) Specify substance: _____	?	1		3	1	3	P19 P20	
<b>DEPRESSIVE DISORDERS</b>									
07	Major Depressive Disorder (D.9/lifetime)(D.17/past month)	?	1	2	3	1	3	P21 P22	
					<b>Lifetime Prevalence</b>		<b>Meets Symptomatic Dx. Crit. Past 2 Years</b>		
08	Persistent Depressive Disorder (A.32/past two years)(A.36/prior to past two years)	?	1	2	3	1	3	P23 P24	
					<b>Current Only</b>		<b>Meets Symptomatic Dx. Crit. Past 12 Months</b>		
09	Premenstrual Dysphoric Disorder (A.41/past 12 months)	?				1	3	P25	
					<b>Lifetime Prevalence</b>		<b>Meets Symptomatic Dx. Crit. Past Month</b>		
10	Other Specified Depressive Disorder (D.12/lifetime) (D.13/past month)	?	1		3	1	3	P26 P27	
11	Depressive Disorder Due to Another Medical Condition (A.48/lifetime)(A.48/past month) Specify AMC: _____	?	1		3	1	3	P28 P29	

SCID Code	Diagnosis	Inadequate Info.	Absent	Sub-threshold	Threshold	Absent	Present	
12	Substance/Medication-Induced Depressive Disorder (A.51/lifetime)(A.51/past month) Specify substance:____	?	1		3	1	3	P30 P31
<b>SCHIZOPHRENIA AND OTHER PSYCHOTIC DISORDERS</b>								
13	Schizophrenia (C.5/lifetime)(C.17/past month)	?	1	2	3	1	3	P32 P33
14	Schizophreniform Disorder (C.7/lifetime)(C.19/past month)	?	1	2	3	1	3	P34 P35
15	Schizoaffective Disorder (C.9/lifetime)(C.17/past month)	?	1	2	3	1	3	P36 P37
16	Delusional Disorder (C.11/lifetime)(C.17/past month)	?	1	2	3	1	3	P38 P39
17	Brief Psychotic Disorder (C.14/lifetime)(C.19/past month)	?	1	2	3	1	3	P40 P41
18	Psychotic Disorder Due to Another Medical Condition (C.22/lifetime)(C.19/past month) Specify GMC:_____	?	1		3	1	3	P42 P43
19	Substance-Induced Psychotic Disorder (C.24/lifetime)(C.19/past month) Specify substance:_____	?	1		3	1	3	P44 P45
20	Other Specified Psychotic Disorder(C.16/lifetime)(C.19/past month)	?	1		3	1	3	P46 P47

**Lifetime Prevalence** **Meets Symptomatic Dx. Crit. Past 12 Months**

<b>SUBSTANCE USE DISORDERS</b>								
21	Alcohol (E.4/past 12 months)(E.9/prior to past 12 months)	?	1	2	3	1	3	P48 P49
22	Sedative-Hypnotic-Anxiolytic (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P50 P51
23	Cannabis (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P52 P53
24	Stimulants/Cocaine (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P54 P55
25	Opioids (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P56 P57
26	PCP (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P58 P59
27	Other Hallucinogens (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P60 P61
28	Inhalants (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P62 P63
29	Other/Unknown (E.17/past 12 months)(E.26/prior to past 12 months)	?	1	2	3	1	3	P64 P65

SCID Code	Diagnosis	Inadequate Info.	Lifetime Prevalence			Meets Symptomatic Dx. Crit. Past Month			
			Absent	Sub-threshold	Threshold	Absent	Present		
<b>ANXIETY DISORDERS</b>									
30	Panic Disorder (F.5/lifetime)(F.5/past month)	?	1	2	3	----->	1	3	P66 P67
<b>Meets Symptomatic Dx. Crit. Past 6 Months</b>									
31	Agoraphobia (F.11/lifetime)(F.12/past 6 months)	?	1	2	3	----->	1	3	P68 P69
32	Social Anxiety Disorder (F.16/lifetime)(F.17/past 6 months)	?	1	2	3	----->	1	3	P70 P71
33	Specific Phobia (F.21/lifetime)(F.22/past 6 months)	?	1	2	3	----->	1	3	P72 P73
34	Generalized Anxiety Disorder (F.30/lifetime)(F.26/past 6 months)	?	1	2	3	----->	1	3	P74 P75
<b>Current Only</b>									
35	Separation Anxiety Disorder (OPTIONAL) (Opt-F.4/past 6 months only)	?	1				1	3	P76
<b>Meets Symptomatic Dx. Crit. Past 6 Months</b>									
<b>Lifetime Prevalence</b>									
36	Other Specified Anxiety Disorder (F.32/lifetime)(F.32/past month)	?	1		3	----->	1	3	P77 P78
37	Anxiety Disorder Due to Another Medical Condition (F.34/lifetime)(F.34/past month) Specify AMC: _____	?	1		3	----->	1	3	P79 P80
38	Substance/Medication-Induced Anxiety Disorder (F.36/lifetime)(F.36/past month) Specify substance: _____	?	1		3	----->	1	3	P81 P82
<b>OBSESSIVE-COMPULSIVE AND RELATED DISORDERS</b>									
39	Obsessive Compulsive Disorder (G.5/lifetime)(G.6/past month)	?	1	2	3	----->	1	3	P83 P84
40	Hoarding Disorder (OPTIONAL) (Opt-G.3/lifetime)(Opt-G.4/past month)	?	1	2	3	----->	1	3	P85 P86
41	Body Dysmorphic Disorder (OPTIONAL) (Opt-G.7/lifetime)(Opt-G.9/past month)	?	1	2	3	----->	1	3	P87 P88
42	Trichotillomania (Hair-Pulling Disorder) (OPTIONAL) (Opt-G.11/lifetime)(Opt-G.12/past month)	?	1	2	3	----->	1	3	P89 P90
43	Excoriation (Skin-Picking) Disorder (OPTIONAL) (Opt-G.14/lifetime)(Opt-G.15/past month)	?	1	2	3	----->	1	3	P91 P92

SCID Code	Diagnosis	Inadequate Info.	Absent	Sub-threshold	Threshold	Absent	Present	
44	Other Specified Obsessive Compulsive and Related Disorder (G.9/lifetime)(G.9/past month)	?	1	2	3 →	1	3	P93 P94
45	Obsessive-Compulsive and Related Disorder Due to Another Medical Condition (G.13/lifetime)(G.13/past month) Specify AMC: _____	?	1	2	3 →	1	3	P95 P96
46	Substance/Medication-Induced Obsessive-Compulsive and Related Disorder (G.16/lifetime) (G.16/past month). Specify substance: _____	?	1	2	3 →	1	3	P97 P98
						<b>Meets Symptomatic Dx. Crit. Past 3 Months</b>		
						<b>Current Only</b>		

**SLEEP-WAKE DISORDERS**

47	Insomnia Disorder (OPTIONAL) (Opt-H.3/past 3 months)	?				1	3	P99
48	Hypersomnolence Disorder (OPTIONAL) (Opt-H.7/past 3 months)	?				1	3	P100
49	Substance-Induced Sleep Disorder (OPTIONAL) (Opt-H.11) Specify substance: _____	?				1	3	P101
						<b>Meets Symptomatic Dx. Crit. Past 3 Months</b>		
						<b>Lifetime Prevalence</b>		

**FEEDING AND EATING DISORDERS**

50	Anorexia Nervosa (I.1/lifetime) (I.2/past 3 months)	?	1	2	3 →	1	3	P102 P103
51	Bulimia Nervosa (I.5/lifetime) (I.6/past 3 months)	?	1	2	3 →	1	3	P104 P105
52	Binge Eating Disorder (I.8/lifetime)(I.9/past 3 months)	?	1	2	3 →	1	3	P106 P107
						<b>Meets Symptomatic Dx. Crit. Past Month</b>		
						<b>Current Only</b>		
53	Avoidant/Restrictive Food Intake Disorder (OPTIONAL) (Opt-I.3/past month)	?				1	3	P108
						<b>Meets Symptomatic Dx. Crit. Past Month</b>		
						<b>Lifetime Prevalence</b>		

54	Other Specified Feeding or Eating Disorder (I.10/lifetime) (I.10/past month)	?	1	2	3 →	1	3	P109 P110
----	--	---	---	---	-----	---	---	--------------

SCID Code	Diagnosis	Inadequate Info.	Absent	Sub-threshold	Threshold	Absent	Present	
<b>Current Only</b>						<b>Meets Symptomatic Dx. Crit. Past 6 Months</b>		
<b>SOMATIC SYMPTOM AND RELATED DISORDERS</b>								
55	Somatic Symptom Disorder (OPTIONAL) (Opt-J.2/past 6 months)	?				1	3	P111
56	Illness Anxiety Disorder (OPTIONAL) (Opt-J.4/past 6 months)	?				1	3	P112
<b>EXTERNALIZING DISORDERS</b>								
57	Adult Attention-deficit/Hyperactivity Disorder (K.5/past 6 months)	?				1	3	P113
<b>Current Only</b>						<b>Meets Symptomatic Dx. Crit. Past 12 Months</b>		
58	Intermittent Explosive Disorder (OPTIONAL) (Opt-K.4/past 12 months)	?				1	3	P114
59	Gambling Disorder (OPTIONAL) (Opt-K.7/past 12 months)	?				1	3	P115
<b>Current Only</b>						<b>Meets Symptomatic Dx. Crit. Past Month</b>		
<b>TRAUMA- AND STRESSOR-RELATED DISORDERS</b>								
60	Acute Stress Disorder (L.10/past month)	?				1	3	P116
<b>Lifetime Prevalence</b>						<b>Meets Symptomatic Dx. Crit. Past Month</b>		
61	Posttraumatic Stress Disorder (L.18/lifetime)(L.18/past month)	?	1	2	3	1	3	P117 P118
<b>Current Only</b>						<b>Meets Symptomatic Dx. Crit. Past 6 Months</b>		
62	Adjustment Disorder (L.22/past 6 months)	?				1	3	P119
<b>Lifetime Prevalence</b>						<b>Meets Symptomatic Dx. Crit. Past Month</b>		
63	Other Specified Trauma- and Stressor-Related Disorder (L.23/lifetime)(L.23/past month)	?	1	2	3	1	3	P120 P121
64	<b>OTHER DSM-5 DISORDER:</b> Specify: _____	?	1	2	3	1	3	P122 P123

**PRINCIPAL DIAGNOSIS** (i.e., the disorder that is [or should be] the main focus of current clinical attention).

Enter SCID Code number from scoresheet for principal diagnosis: \_\_ \_\_

P124

Note: Code 00 if no current mental disorder. Code 99 if unknown.

**INTERVIEWER'S DIAGNOSES, IF DIFFERENT FROM SCID DIAGNOSES:**

P125

**PROVISIONAL DIAGNOSIS** (i.e., the disorder(s) that need more information in order to be ruled out).

P126

**SOCIAL AND OCCUPATIONAL FUNCTIONING ASSESSMENT SCALE (SOFAS)**

Consider psychological, social, and occupational functioning on a continuum from excellent functioning to grossly impaired functioning. Include impairments in functioning due to physical limitations, as well as those due to mental impairments. To be counted, impairment must be a direct consequence of mental and physical health problems; the effects of lack of opportunity and other environmental limitations are not to be considered.

CODE (Note: Use intermediate codes when appropriate, e.g., 45, 68, 72).

\_\_ \_\_ \_\_

P127

- 100 Superior functioning in a wide range of activities.  
|  
91  
90 Good functioning in all areas, occupationally and socially effective.  
|  
81  
80 No more than a slight impairment in social, occupational, or school functioning (e.g., infrequent interpersonal conflict, temporarily falling behind in schoolwork).  
|  
71  
70 Some difficulty in social, occupational, or school functioning, but generally functioning well, has some meaningful interpersonal relationships.  
|  
61  
60 Moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or coworkers).  
|  
51  
50 Serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).  
|  
41  
40 Major impairment in several areas, such as work or school, family relations, (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home, and is failing at school).  
31  
30 Inability to function in almost all areas (e.g., stays in bed all day; no job, home, or friends).  
|  
21  
20 Occasionally fails to maintain minimal personal hygiene; unable to function independently.  
|  
11  
10 Persistent inability to maintain minimal personal hygiene. Unable to function without harming self or others or without considerable external support (e.g., nursing care and supervision).  
|  
1  
0 Inadequate information.